



New hydraulic mini excavator 2T. (Located in VVN warehouse and can be received within 1 day).

Other models are also available.

Equipment:

Fops/Tops cab

Suspension seat

Warm air blower

Hydraulic control rod

Extendable boom

Warning light

Breaker tube

In addition, two buckets are included in the set (three in total - hovering, trench, handheld).

Technical specification:

Working weight 1940 kg

Standard bucket volume 0.04 m³

Standard bucket width 380 mm

Maximum travel speed 2.0/3.5km/h

Maximum digging speed 10 rpm. / min

Tilting ability 30

Pressure against the ground 30 kPa

Max. traction force 16.7 KN

Boom turning angle (L/R) 75/50

Engine brand YANMAR

Engine model 3TNV80F-SSSU

Nominal power 13.4 kW/2200 rpm. / min

Volume 1, 267 L

Fuel tank 23l

Maximum flow (total) 2×21+13.2+6 L/min

Max. working pressure 21 MPa

Maximum pilot pressure 3.2 Mpa

Maximum boom digging force 9.8 kN

Maximum bucket digging force 22.7 kN

Hydraulic oil tank 35 L

Track width 230 mm

Track type - Rubber track

Carrier rollers - 1 (on each side)

Track rollers - 3 (on each side)

System voltage 12 V

Battery capacity 12 V, 45 Ah

All warranty service is available in our company.

Type: **Excavators, burial mounds**

Brand: **Vvn**

Model: **CDM6020**

Release
year: **2023**